Starboard Tack Pressure Sensitive





Digital Product Catalog

Includes:





| Products for Production Toner Presses, Laser Prin | ters and Copiers | Page |
|--|-------------------------------------|----------|
| DiversiPrint [®] Papers | | 3 |
| DiversiPrint [®] Cover-ups | | 3 |
| DiversiPrint [®] Films & Specialty | | 4 |
| Dual Purpose Films | | 6 |
| Products for Ink Jet Printers | | |
| DiversiPrint [®] Papers | | 3 |
| Products for HP Indigo [®] Digital Presses | | |
| Digi [™] Papers | | 7 |
| Digi [™] Cover-ups | | 7 |
| Dual Purpose Films | | 6 |
| Multi-Purpose Die Cut Labels | | |
| Uncoated | | |
| Rectangles/ Squares 8½ x 11 | | 9 |
| Circles 8½ x 11 | | 9 |
| CD/DVD 81/2 x 11 | | 9 |
| Removable Circles | | |
| Ultra Matte 81/2 x 11 | | 10 |
| White Digital Vinyl 12 x 18 | | 10 |
| Specialty Products | | |
| Auto Window Sticker 8½ x 11 | | 10 |
| Name Badge 8 ¹ / ₂ x 11 | | 10 |
| Door Seals 12 x 18 | | 10 |
| Custom Capabilities | | |
| Full Sheet Digital Express Program | | 8 |
| Multi-purpose die cut Labels | | 11 |
| Technical Data | | |
| Multi-Purpose die cut labels | | 12 |
| Production toner, laser printers and copiers | | 5 |
| Aven [®] Looper Drintoble Lobels 01/ | | |
| Avery [®] Laser Printable Labels 8 ¹ / ₂ x 11 | 0 | 10 |
| White Easy Peel [®] Laser Labels White Multipurpose Labels | | 13 13 |
| White Multipurpose Labels White Shipping Labels w/TrueBlock [®] | | 13 |
| White Flexible Name Badges | | 13 |
| Name Badge Inserts Microperfed | Brought to you by Spinnaker Coating | 13 |
| | | |

Advantedge Technology, Digi, DiversiPrint, Strip-Tac and Ultra Matte are trademarks of Spinnaker Coating, LLC. Astrobrights and the Astrobrights colors are trademarks of Neenah Paper Inc. Finch Fine is a registered trademark of Finch Paper LLC. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Avery, Easy Peel and TrueBlock are registered trademarks of Avery Dennison Corporation. Teslin is a registered trademark of PPG Industries.





Premium Pressure Sensitive Sheets

Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

| Paper | Products | for Prod | luction Ton | er, Laser Pri | nters and C | opiers 🕨 | | |
|-----------------|-------------------------------------|--------------------------|-------------|---------------|---------------------------|----------------------|------------------|--|
| Mac system # | Spinnaker mfg # | sheet size | liner | adhesive | inner carton packaging | sheets per carton | carton weight | features |
| iversiP | rint [®] 60# Glo | oss | | | | | | |
| 092512 | 0046042 | 8.5 x 11 | 58# Scored | Permanent | 100 box | 1000 | 26# | A cast coated face stock with a mirror |
| 092522 | 0046039 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | finish for superb print reproduction. |
| | 0002128 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 500 | 30# | Permanent is Kodak Nexpress |
| | 0044638 | 12 x 18 | 58# 0 Split | Permanent | 100 wrap | 200 | 12# | approved. Removable is pending |
| | 0044501 | 12 x 18 | 58# Scored | Removable | 100 wrap | 200 | 12# | certification. |
| | 0048700 | 13 x 19 | 58# Scored | Permanent | 100 wrap | 200 | 16# | Brightness: 87 Opacity: 90 |
| | | | | | | | | Caliper: 8.1 mil |
| | | | | | | | | GSM: Perm 198 / Rem 209 |
| | | | | | | | | |
| piversiP | rint [®] 55# Se 0043957 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | An archival quality, semi gloss finish |
| | | | | | • | 200 | 12# | stock for superb print reproduction. |
| | 0049038 | 12 x 18 | 58# 0 Split | Permanent | 100 wrap | 200 | 12# | |
| | | | | | | | | Brightness: 89 Opacity: 87 |
| | | | | | | | | Caliper: 7.0 mil GSM: 193 |
| | | | | | | | | Callper. 7.0 mill GSW. 195 |
| | | | | | | | | |
| JiversiP | rint [®] 60# Ult | | 50 // 2 | 2 | | 1005 | | A promium C12 methodore (at a |
| | 0002133 | 8.5 x 11 | 58# Scored | Permanent | 100 box | 1000 | 26# | A premium, C1S matte paper featuring superior print surface and smudge |
| 092539 | 0046043 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | resistance. |
| | 0002131 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 500 | 30# | |
| | 0049041 | 12 x 18 | 58# 0 Split | Permanent | 100 wrap | 200 | 12# | Brightness: 89 Opacity: 91 |
| | 0044503 | 12 x 18 | 58# Scored | Removable | 100 wrap | 200 | 12# | Caliper: 8.3 mil |
| | | | | | | | | GSM: Perm 202 / Rem 213 |
| DiversiP | rint [®] 60# Br | ight White | | | | | | Also suitable for Ink Jet Printin |
| 092540 | 0046041 | 8.5 x 11 | 58# Scored | Permanent | 100 box | 1000 | 26# | A premium bright white offset offering |
| | 0002531 | 8.5 x 11 | 58# 0 Split | Permanent | 100 box | 1000 | 26# | excellent contrast and ink receptivity. |
| 092541 | 0046040 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | |
| | 0002134 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 500 | 30# | |
| | 0044505 | 12 x 18 | 58# 0 Split | Permanent | 100 wrap | 200 | 12# | PCW Content: 10% |
| | 0002529 | 12 x 18 | 58# 0 Split | Permanent | 100 wrap | 500 | 30# | Brightness: 98 Opacity: 93 |
| | 0048701 | 13 x 19 | 58# Scored | Permanent | 100 wrap | 200 | 16# | Caliper: 9.0 mil GSM: 202 |
| | | | | | | | | |
| DiversiP | rint [®] 60# GI | | | | | | | |
| | 0044506 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | This cast coated face stock has a mirr finish and an added barrier coat makin |
| | | | | | | | | this sheet ideal for cover-up |
| | | | | | | | | applications or when increased opacit |
| | | | | | | | | is required. |
| | | | | | | | | |
| | | | | | | | | Brightness: 80 Opacity:>98 |
| | | | | | | | | Caliper: 8.3 mil GSM: 206 |
| DiversiP | rint [®] 60# Ult | tra Matte [™] (| Cover-up | | | | | |
| | 0044507 | 12 x 18 | 58# Scored | Permanent | 100 wrap | 200 | 12# | A C1S matte face stock. The added |
| | | | | | | | | barrier coat makes this sheet ideal for |
| | | | | | | | | cover-up applications or when increased opacity is required. |
| | | | | | | | | increased opacity is required. |
| | | | | | | | | Brightness: 83 Opacity:>98 |
| | | | | | | | | Calilper: 8.3 mil GSM: 210 |
| | - | | | | | | | |
| | denotes Starb | oard Tack brai | nded items | | | | | |



Premium Pressure Sensitive Sheets

Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

| Mac | Spinnaker | | | r, Laser Print | inner carton | sheets per | carton | |
|------------------|-------------------------|---------------|-------------|----------------|---------------------------|----------------------|------------------|--|
| /stem # | mfg # | sheet size | liner | adhesive | packaging | carton | weight | features |
| versiPi | | White Lase | | | | | | |
| | 0048321 | 12 x 18 | 50# 0 Split | Permanent | 100 wrap | 200 | 12# | A 2.0 mil top-coated, gloss white polyester film featuring excellent lase print quality, toner adhesion and durability. This product is also suitabl for desktop printers. Edges are stripp to reduce adhesive contamination. |
| | | | | | | | | Caliper: 6.0 mil GSM: 179 |
| versiPı | rint [®] Matte | White Laser | · Polyester | | | | | |
| | 0045955 | 12 x 18 | 50# 0 Split | Permanent | 100 wrap | 200 | 12# | A 2.5 mil top-coated, matte white polyester film featuring excellent lase print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduc adhesive contamination. |
| | | | | | | | | Caliper: 6.5 mil GSM: Perm 183 |
| versiPı | rint [®] Gloss | Clear Laser | Polyester | | | | | |
| | 0044827 | 12 x 18 | 50# 0 Split | Permanent | 100 wrap | 200 | 12# | A 2.0 mil top-coated, gloss clear polyester film featuring excellent lase print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduc adhesive contamination. |
| | | | | | | | | Caliper: 6.0 mil GSM: 185 |
| pecia | | uct for Pr | oduction To | oner Presses | | | | |
| | Spinnaker mfg # | sheet size | liner | adhesive | inner carton packaging | sheets per carton | carton weight | features |
| ver <u>siP</u> ı | | I Satin Cloth | | | | | | |
| | 0045709 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 13# | Bright white rayon/acetate cloth typic used for name badge labels featuring special top-coat for digital printing. Fabric count: Warp 192 and Fill 50 |
| | | | | | | | | |



Technical Data for Printing DiversiPrint[®] Pressure Sensitive for Production Toner Presses, Laser Printers, and Copiers

Paper Products

Laser printing after offset printing:

• For best laser processing results, after offset printing immediately package printed stock in a moisture barrier wrap

Desktop and mid-range laser printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate GSM setting for best toner anchorage and feeding

Film Products

- For best toner anchorage, use appropriate GSM or thickness setting. In some printers, "heavyweight" is the correct setting
- When printing clear, choose the "white" setting as the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner





| Mac system # | Spinnaker mfg # | sheet size | liner | adhesive | inner carton packaging | sheets per carton | carton weight | features |
|-----------------|--------------------------|-------------|-------------|-----------------|---------------------------|----------------------|------------------|--|
| Mil Dig | ital Teslin [®] | | | | | | | |
| | 0044932 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 16# | Synthetic stock providing excellent printability and durability. Permanent items are ideal for menus, maps and banners. The removable item is ideal f cooler labels. |
| | | | | | | | | Caliper: 12.2 mil |
| | | | | | | | | GSM: Perm 250 |
| latte Wł | nite Digital | Vinyl | | | | | | |
| 092542 | 0046047 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 18# | A 3.4 mil topcoated vinyl engineered for |
| | 0045511 | 12 x 18 | 80# 0 Split | Permanent | 100 wrap | 200 | 18# | production toner presses & high-speed and mid-range laser printers. Not |
| 092543 | 0046046 | 12 x 18 | 80# Scored | Ultra Removable | 100 wrap | 200 | 18# | recommended for desktop printers. |
| | 0045509 | 12 x 18 | 80# 0 Split | Ultra Removable | 100 wrap | 200 | 18# | |
| | 0046759 | 13 x 19 | 80# Scored | Permanent | 100 wrap | 200 | 20# | |
| | 0046760 | 13 x 19 | 80# Scored | Ultra Removable | 100 wrap | 200 | 20# | Caliper: Perm 8.9 mil / Rem 8.8 mil |
| | 0047675 | 29.5 x 20.5 | 80# Scored | Permanent | 100 wrap | 200 | 49# | GSM: Perm 273 / Rem 270 |
| | 0047672 | 29.5 x 20.5 | 80# Scored | Ultra Removable | 100 wrap | 200 | 49# | |
| latte Cle | ear Digital ' | Vinvl | | | | | | |
| | 0045508 | 12 x 18 | 80# 0 Split | Permanent | 100 wrap | 200 | 18# | A 3.5 mil topcoated vinyl engineered for |
| | 0045505 | 12 x 18 | 80# 0 Split | Ultra Removable | 100 wrap | 200 | 18# | production toner presses & high-spee |
| | 0046761 | 13 x 19 | 80# 0 Split | Permanent | 100 wrap | 200 | 20# | and mid-range laser printers. Not |
| | 0046762 | 13 x 19 | 80# 0 Split | Ultra Removable | 100 wrap | 200 | 20# | recommended for desktop printers. |
| | | | | | | | | Caliper: Perm 9.0 mil / Rem 8.9 mil GSM: Perm 264 / Rem 261 |

denotes Starboard Tack branded items



Certified for **HP Indigo**

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



Premium Pressure Sensitive Sheets

Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

| Mac | Spinnaker | | go Digital Pre | | inner carton | sheets per | carton | |
|---------------------|---------------|-------------------------|-----------------|---------------|--------------|------------|--------|---|
| ystem # | mfg # | sheet size | liner | adhesive | packaging | carton | weight | features |
| gi [™] Glo | oss Optimi | zed for HP I | ndigo | | | | | |
| 92544 | 0046044 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | A 60# cast coated paper stock with a |
| | 0009799 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 500 | 36# | mirror finish which is optimized for HF |
| | 0044639 | 12 x 18 | 80# 0 Split | Permanent | 100 wrap | 200 | 14# | Indigo. |
| | 0044509 | 13 x 19 | 80# Scored | Permanent | 100 wrap | 200 | 16# | Brightness: 84 Opacity: 90 |
| | 0047524 | 29.5 x 20.5 | 80# Scored | Permanent | 100 wrap | 200 | 44# | Caliper: 9.0 mil GSM: 223 |
| gi [™] Se | mi Gloss | | | | | | | |
| <u> </u> | 0044510 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | A HP Indigo 55# semi-gloss facestoc |
| | 0045684 | 13 x 19 | 80# Scored | Permanent | 100 wrap | 200 | 16# | |
| | 0010001 | 10 / 10 | | 1 officiation | 100 1100 | 200 | | Brightness: 87 Opacity: 89 |
| | | | | | | | | Caliper: 8.4 mil GSM:220 |
| gi [™] Ma | atte | | | | | | | |
| 92545 | 0046045 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | A 60# C1S matte finish paper suitable |
| | 0009801 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 500 | 36# | for HP Indigo. |
| | 0049039 | 12 x 18 | 80# 0 Split | Permanent | 100 wrap | 200 | 14# | |
| | 0045687 | 12 x 18 | 80# Scored | Removable | 100 wrap | 200 | 14# | |
| | 0044512 | 13 x 19 | 80# Scored | Permanent | 100 wrap | 200 | 16# | Brightness: 89 Opacity: 91 |
| | 0047521 | 29.5 x 20.5 | 80# Scored | Permanent | 100 wrap | 200 | 44# | Caliper: 9.1 mil |
| | | | | | | | | GSM: Perm 221 / Rem 238 |
| gi [™] Un | coated Fin | ch Fine [®] iD | | | | | | |
| | 0044513 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | A HP Indigo ready bright-white 60# |
| | 0043099 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 500 | 36# | uncoated face stock. |
| | 0044640 | 12 x 18 | 80# 0 Split | Permanent | 100 wrap | 200 | 14# | PCW Content: 10% |
| | 0045683 | 13 x 19 | 80# Scored | Permanent | 100 wrap | 200 | 16# | Brightness: 98 Opacity: 90 |
| | | | | | | | | Caliper: 9.2 mil GSM: 227 |
| gi [™] 8 p | | mized for HF | | | | | | |
| | 0044514 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 20# | A HP Indigo optimized 8 pt tag. |
| | | | | | | | | Brightness: 89 Opacity: 94 |
| | | | | | | | | Calilper: 13.2 mil GSM: 320 |
| gi [™] Glo | oss Cover-i | up Optimize | d for HP Indigo |) | | | | |
| Mill | 0044515 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | An optimized 60# cast coated paper |
| | | | | | | | | stock with a mirror finish. This versio |
| | | | | | | | | has the added barrier coat for increa |
| | | | | | | | | opacity. |
| | | | | | | | | Brightness: 79 Opacity: >98 |
| | | | | | | | | Caliper: 9.1 mil GSM:232 |
| gi [™] Ma | tte Cover-u | ıpq | | | | | | |
| Mill | 0044516 | 12 x 18 | 80# Scored | Permanent | 100 wrap | 200 | 14# | A 60# C1S matte finish paper suitab |
| | | | | | | | | for HP Indigo which has the added |
| | | | | | | | | barrier coat for increased opacity. |
| | | | | | | | | Brightness: 83 Opacity: >98 |
| | donotos Star | board Tack bran | dod itoms | | | | | Caliper: 9.2 mil GSM: 231 |
| | uenotes start | Juaru Tauk Dran | | | | | | Caliper. 9.2 IIII 63WI. 231 |

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.

Certified for

HP Indigo



Full Sheet Digital Express Program ►

In need of sizes not stocked in the standard digital line? Are standard sizes not working for the best label layout or optimum press efficiency? Does your customer require a standard size but prefers bulk packaging due to the quantity involved?

Let us help you with our Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum press efficiency, use the Full Sheet Digital Express Program.

Products: all stock constructions listed in this Digital Catalog qualify

- Papers & Films for Toner or HP Indigo printing
- · Permanent, Removable (Ultra-Removable for films) and Cover-ups
- HP Indigo certified substrates
- Toner products successfully tested in several leading printers, including but not limited to: KODAK NEXPRESS, Xerox DocuColor and iGen Series, Canon and Konica Minolta

Sizes: 8 1/2 x 11, 8 1/2 x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20 sheet sizes*

Packaging: bulk packed in cartons

Order/Freight: Minimum: 1,000 sheets/ Maximum: 10,000 sheets*

Leadtime: ships in 2 - 5 business days

* Larger quantities and additional digital sizes are available but may have a longer leadtime

Technical Support ►

Questioning which construction works in your digital equipment? Not sure which product is recommended for the application? Need additional printing tips for a specific printer?

Spinnaker's **Technical Consulting** Group is ready to answer your questions...... call 877-210-5104 for assistance.





Premium Pressure Sensitive Sheets Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

Multi-Purpose Die Cut Labels - Uncoated 🕨

| mantin | Mac or | | | | | | | |
|-----------------|----------------------|---------------------------|-----------------|---------------|---------------------------|----------------------|------------------------------------|---|
| Mac system # | Spinnaker stock # | Spinnaker mfg # la | abole par chaot | label size | inner carton packaging | sheets per carton | Avery [®] template ref | features |
| , | | ermanent $8\frac{1}{2}$ x | | label Size | раскауіну | Carton | template rei | reatures |
| oo Brigii | S4401A | 0080649 | 1 | 8 1/2 x 11 | 100 box | 1000 | 5165™ | Adhesive suitable for guillotine cutting |
| | S4402• | 0080102 | 2 | 8 1/2 x 5 1/2 | 100 box | 1000 | 0100 | An opaque sheet suitable for multiple |
| | S4304 | 0080104 | 4 | 4 x 5 | 100 box | 1000 | | digital print technologies, including |
| 091290 | MP4504 | 0080169 | 4 | 3 1/2 x 5 | 100 box | 1000 | 5168™ | laser, copier and ink jet; manufactured with an aggressive permanent adhesive |
| | S4704 | 0080268 | 4 | 3 x 5 | 100 box | 1000 | | and 35# layflat liner. |
| | S4404• | 0080270 | 4 | 4 1/4 x 5 1/2 | 100 box | 1000 | | |
| 091286 | MP4306 | 0080171 | 6 | 4 x 3 1/3 | 100 box | 1000 | 5164™ | |
| | S4306BK | 0083535 NEW | 6 | 4 x 3 1/3 | 250 bag | 1000 | 5164™ | |
| | S4308 | 0080111 | 8 | 4 x 2 1/2 | 100 box | 1000 | | Brightness: 96 |
| | S4408• | 0080309 | 8 | 4 1/4 x 2 3/4 | 100 box | 1000 | | Caliper: 6.9 mil |
| 091289 | MP4310 | 0080173 | 10 | 4 x 2 | 100 box | 1000 | 5163™ | GSM: 159 |
| | S4310BK | 0083536 NEW | 10 | 4 x 2 | 250 bag | 1000 | 5163™ | |
| | S4512 | 0080265 | 12 | 2 x 3 | 100 box | 1000 | | |
| | S4314 | 0080115 | 14 | 4 x 1 1/3 | 100 box | 1000 | 5162™ | |
| | S4320 ¹ | 0080116 | 20 | 4 x 1 | 100 box | 1000 | 5161™ | |
| 091288 | MP4330 ² | 0080172 | 30 | 2 5/8 x 1 | 100 box | 1000 | 5160™ | Label products on this page are |
| | S4330BK 2 | 0083534 NEW | 30 | 2 5/8 x 1 | 250 bag | 1000 | 5160™ | manufactured with Advantedge |
| | S4350 | 0080310 | 50 | 1 1/2 x 1 | 100 box | 1000 | | Technology [®] , a unique manufacturing process by which the outer 1/16" edge |
| | S4380 | 0080122 | 80 | 1 3/4 x 1/2 | 100 box | 1000 | 5167™ | of the 8 1/2 x 11 sheet is adhesive-free This virtually eliminates the risk of adhesive ooze and contamination in digital equipment. |
| Circles | S4106 | 0080271 | 6 | 3 1/3 Circles | 100 box | 1000 | | |
| | S4012 | 0080218 | 12 | 2 1/2 Circles | 100 box | 1000 | 5294™ | Adhestve No Adhestve |
| | S4420 | 0080345 | 20 | 2 Circles | 100 box | 1000 | | |
| | S4024 | 0080273 | 24 | 1 2/3 Circles | 100 box | 1000 | 5293™ | |
| | S4030 | 0080274 | 30 | 1 1/2 Circles | 100 box | 1000 | | |
| | S4063 | 0082775 | 63 | 1 Circles | 100 box | 1000 | | |
| | S4120 | 0080755 | 120 | 3/4 Circles | 100 box | 1000 | | |
| D/DVD | Labels S4602 | 0080123 | 2 | 4 5/8 CD/DVD | 100 box | 1000 | | |
| | | | | | | | | |

¹Indicates 1 vertical perf ²Indicates 2 vertical perfs • Indicates butt cut layout

denotes Starboard Tack branded items

All Spinnaker brand 100 sheet box items on this page are sold in 100 sheet box increments

Templates available for Starboard Tack items at www.macpapers.com and Spinnaker items at www.spinps.com





Premium Pressure Sensitive Sheets Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer

settings, visit www.spinps.com

Multi-Purpose Die Cut Labels - Removable Circles ►

| Mac system # 60# Ultra | Spinnaker stock # Matte™/ F | Spinnaker mfg # Removable 8 ¹ / | | label size | inner carton packaging | sheets per carton | Avery [®] template ref | features |
|------------------------------|-----------------------------------|---|--------------|----------------------------|---------------------------|----------------------|------------------------------------|--|
| | | 0083455 0083456 | 6 20 | 3 1/3 Circles 2 Circles | 100 box 100 box | 1000 1000 | | A premium, C1S matte paper featuring superior smudge resistance, high brightness & opacity suitable for laser/ dry toner and HP Indigo print technologies Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213 |
| Matte Wh | nite Digita | l Vinyl/ Ultra-l | Removable 12 | x 18 | | | | |
| | | 0083454 | 6 | 5 1/2 Circles | 100 wrap | 200 | | A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for desktop printers. Caliper: 8.8 mil GSM: 270 |

Multi-Purpose Die Cut Labels - Specialty Products 🕨

| Mac system # | Spinnaker stock # | Spinnaker mfg # | labels per sheet | label size | inner carton packaging | sheets per carton | Avery [®] template ref | features |
|-----------------|----------------------|-----------------|------------------|-------------------------------------|---------------------------|----------------------|------------------------------------|---|
| , | | | · · | her die cut $8\frac{1}{2} \times 1$ | | | | |
| | S4801RC | 0080539 | 1 | 8 x 10 | 100 box | 1000 | | This facestock is part of a construction in which the liner is printed, picture frame matrix removed and the label applied to the inside of an auto window. The face becomes a carrier in this application and is typically not printed. However, this stock is a bright white, uncoated paper suitable for production toner, laser printers/copiers. |
| Nomo Bo | ndan 50t | + BW Lincost | od / Aonulio Pa | dge adhesive wit | h miara narf | o 01/ v 11 | | Caliper: 7.4 mil GSM:171 |
| Name Da | | | | | | | 500574 | This bright white uncoated sheet is |
| | S4508B | 0080349 | 8 | 3 3/8 x 2 1/3 | 100 box | 1000 | 5395™ | suitable for a wide variety of digital print technologies, including laser and ink jet - suitable for short-term name badge applications |
| | | | | | | | | Brightness: 93 Opacity: 88 |
| | | | | | | | | Caliper: 6.6 mil GSM: 152 |
| Door Sea | als 60# l | Ultra Matte™ / | / Removable a | dhesive 12 x 18 | | | | |
| | | 0083439 | 10 | 5 1/2 x 3 | 100 wrap | 200 | | Matte facestock which is part of a unique construction that will adhere to the door when closed and tear easily when the door is opened while still removing after the guest enters the room. The construction will print on offset, dry toner and HP Indigo presses. |
| | | | | | | | | Brightness: 89 Opacity: 91 |
| | | | | dividual bay inar | | | | Caliper: 8.1 mil GSM: 213 |

All 8 1/2 x 11 items on this page are sold in individual box increments

Templates available for Starboard Tack items at www.macpapers.com and Spinnaker items at www.spinps.com





Adhesive-free Edge Die-cut Custom Capabilities for 81/2 x 11 Sheet Size

Facestocks

96 Bright White Uncoated Laser Gloss - High gloss finish Fluorescents - Red, Green, Orange, Chartreuse and Pink Astrobrights[®] - Stock colors; contact Customer Support for color availability Natural Cream Ultra Matte[™] Litho

Order & Freight Minimum

Quantity: 1,000 sheets

Custom Lead-times

3 -10 business days after die approval based on quantity & die availability

Custom Packaging

Bulk carton packed: 250 sheets per bag/ 1,000 sheets per carton

Custom Capabilities for Digital Sizes

Constructions

Stocks for production toner, laser printers or HP Indigo digital presses Papers from high gloss to offset finishes Films including white & clear vinyls and 7 mil Teslin® Permanent, removable, ultra-removable & cover-up products All stocking constructions in this catalog are available

Sizes Available Include

8¹/₂ x 11, 8¹/₂ x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20

Order & Freight Minimum

As low as 1,000 sheets, depending on construction

Custom Lead-times

3 -10 business days after die approval

Custom Packaging

Bulk carton packed

All Custom Die-cut Labels

No Die-charge

Will not receive a separate die charge

Perforations

Face and/or liner perforations available

Assistance

Spinnaker Coating can easily create custom die patterns - contact Customer Support for additional information





Premium Pressure Sensitive Sheets Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

Die Cut Laser Label Tips and Guidelines

Label Formatting

Follow printer software guidelines for formatting label data. See Spinnaker's website at www.spinps.com for label templates. Labels are also compatible with Avery Label Pro and other popular software. For cross reference, select the layout code that corresponds with the Spinnaker label. If no label is found, use the Spinnaker measurements to create a new label.

Fanning

Select the desired number of label sheets and gently fan the edges to reduce static electricity. If curl is evident, manually bend and flatten the sheets before loading.

Loading and Printing

Consult the owner's manual to determine the proper placement of labels in the feed tray. It is acceptable to place the labels directly on top of the paper that may be in the tray. Do not exceed the recommended number of sheets. For best toner anchorage and processing, ensure printer settings reflect proper weight. Proceed to make copies as if printing paper. Reference GSM for printer settings.

Caring for unused labels

Place any unused sheets from the paper tray into the protective plastic bag and store in a cool, dry environment.

Cautions

Do not run label stock through the printer twice. Should a jam appear, locate the jammed sheet and remove it before restarting the printer. Products made with Advantedge Technology[®] adhesive are not recommended for guillotine applications.



Contact Mac Papers for all your pressure sensitive needs Technical Support Phone: 877-210-5104 For certifications, approvals & optimal printer settings, visit www.spinps.com

Brought to you by Spinnaker Coating

| | Avery | Spinnaker | | | | | inner carton | |
|--------|-----------------------|--------------|---------------------------|---------------|-----------|-----------|--------------|-----------------------------------|
| | stock # | System # | labels per sheet | label size | adhesive | carton wt | packaging | packs per carton/ sheets per cart |
| e Eas | y Peel [®] L | aser Labels. | | | | | | |
| | 5160 | 0080702 | 30 | 1 x 2 5/8 | Permanent | 13# | 100 | 5 packs/ 500 sheets |
| | | | | | | | | |
| e Shij | pping Lal | bels w/TrueE | Block [®] (Uncoa | ted) | | | | |
| | 5168 | 0080705 | 4 | 5 x 3 1/2 | Permanent | 13# | 100 | 5 packs/ 500 sheets |
| | 5164 | 0080700 | 6 | 3 1/3 x 4 | Permanent | 13# | 100 | 5 packs/ 500 sheets |
| | 5163 | 0080703 | 10 | 2 x 4 | Permanent | 13# | 100 | 5 packs/ 500 sheets |
| e Fle> | cible Nam | ne Badges (| (Uncoated) | | | | | |
| | 5395 | 0080704 | 8 | 2 1/3 x 3 3/8 | Badge | 5# | 50 | 5 packs/ 250 sheets |
| | | | | | | | | |
| | | | | | | | | |
| e Bad | lge Insert | s Microperfe | ed (Uncoated) | 1 | | | | |
| | 5392 | 0080701 | 6 | 3 x 4 | Non PS | 5# | 50 | 5 packs/ 250 sheets |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Minimum Order

Inner packs of 100 are sold by the box

Inner packs of 25 or 50 are sold in full carton increments