



DiversiPrint®



Digi™



Dual Purpose



Performance



Everyday

Digital & Die-Cut Pressure Sensitive
ENHANCE YOUR EXPERIENCE

KELLY LABEL®
Premium Quality Pressure Sensitive

DiversiPrint®

For Production Toner Presses, Laser Printers, and Copiers

	Size	GSM	Sc-Scored Liner-to-Split Liner	Permanent Adhesive #	Removable Adhesive #	Sheet/Carroll
DiversiPrint® Paper Products						
60# Gloss	8.5x11	198	S	4000477		1000
	12x18	198/209 ^R	S	0044500	0044501	200
	12x18	198	S	4000835		500
	12x18	198	0	0044638		200
	13x19	198	S	4001474		200
55# Semi Gloss	12x18	193	S	4000510		200
	12x18	193	0	0049038		200
60# Ultra Matte™	8.5x11	202	S	4000478		1000
	12x18	202/213 ^R	S	0044502	0044503	200
	12x18	202	S	4000479		500
	12x18	202	0	0049041		200
60# Bright White	8.5x11	202	S	4000915		1000
10% PCW and ink jet printable	8.5x11	202	0	0002531		1000
	12x18	202	S	0044504		200
	12x18	202	S	4000804		500
	12x18	202	0	0044505		200
	12x18	202	0	0002529		500
	13x19	202	S	4001346		200
	17.25x22.25	202	0	0002530		500
60# Gloss Cover-up	12x18	206	S	0044506		200
	12x18	206	S	4000534		500
60# Ultra Matte™ Cover-up	12x18	210	S	0044507		200
	12x18	210	S	4000842		500

DiversiPrint® Film and Specialty Products

Gloss White Laser Polyester	12x18	179	0	0048321		200
Matte White Laser Polyester	12x18	183	0	0045955		200
Gloss Clear Laser Polyester	8.5x11	185	0	0044734*		1000
	12x18	185	0	4000518		200
Digital Satin Cloth	12x18	262	S	0045709		200

For optimal printer settings, approvals, and certifications, visit [spinps.com](https://www.spinps.com).

Spinnaker Strip-Tac® brand item numbers shown in gray. **Bold** item numbers represent Kelly brand stocking products.

GSM denotes typical values. ^R Indicates GSM value for removable adhesive item. * Items also sold in individual 100 sheet box.

Digital Dual Purpose Films

For HP Indigo Digital Presses, Production Toner Presses, and Laser Printers

	Size	GSM	S-Scored Linen-Up Spkt Liner	Permanent Adhesive #	Rem Adhesive # (Paper)	Ultra rem Adhesive # (Film)	Sheet/Carroll
7 Mil Digital Teslin®	12x18	251	S	4000501			200
	13x19	251	S	0044651			200
Matte White Digital Vinyl	12x18	273/270 ^R	S	4000503	4000504		200
	12x18	273/270 ^R	0	4000496	4000497		200
	13x19	273/270 ^R	S	0046759	0046760		200
	29.5x20.5	273/270 ^R	S	0047675	0047672		200
Matte Clear Digital Vinyl	12x18	264/261 ^R	0	4000498	4000500		200
	13x19	264/261 ^R	0	0046761	0046762		200



For HP Indigo Digital Presses

Digi™ Paper Products

Gloss Optimized	12x18	223	S	0044508		200
	12x18	223	S	4000445		500
	12x18	223	0	0044639		200
	13x19	223	S	4001115		200
	29.5x20.5	223	S	0047524		200
Semi Gloss	12x18	220	S	0044510		200
	13x19	220	S	4001109		200
Matte	12x18	221/238 ^R	S	0044511	0045687	200
	12x18	221	S	4001088		500
	12x18	221	0	0049039		200
	13x19	221	S	4001079		200
	29.5x20.5	221	S	0047521		200
Bright White 10% PCW	12x18	227	S	0044513		200
	12x18	227	S	4000536		500
	12x18	227	0	0044640		200
	13x19	227	S	4001091		200
8 Pt Tag Optimized	12x18	320	S	0044514		200
Gloss Cover-up Optimized	12x18	232	S	0044515		200
Matte Cover-up	12x18	231	S	0044516		200

For optimal printer settings, approvals, and certifications, visit spinps.com.
Spinnaker Strip-Tac® brand item numbers shown in gray. **Bold** item numbers represent Kelly brand stocking products.
GSM denotes typical values. ^R Indicates GSM value for removable adhesive item. * Items also sold in individual 100 sheet box.

Tips for printing DiversiPrint® pressure sensitive

PAPER PRODUCTS

Laser printing after offset printing:

- For best laser processing results, immediately package offset printed stock in a moisture barrier wrap

Desktop and mid-range printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate weight setting for best toner anchorage and feeding

FILM PRODUCTS

- For best toner anchorage, use appropriate weight or thickness setting, which on some printers is the "heavyweight" setting
- When printing clear, choose the "white" setting so the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner

Tips for printing Digital Dual Purpose Films

- Condition stock at pressroom conditions for a minimum of 24 hours
- Set to appropriate GSM and/or caliper or use "heavyweight" setting
- If film is clear, use "white" setting
- For HP Indigo, the blanket temperature may be increased to improve ink anchorage
- Use the maximum amount of static elimination

Tips for printing Digi™ pressure sensitive

- Condition stock at pressroom conditions for a minimum of 24 hours
- For best ink anchorage and feeding results, use appropriate GSM or thickness setting
- To improve ink anchorage, the blanket temperature may be increased

For certifications, approvals, and optimal printer settings, visit spinps.com, email sales@spinps.com, or call our Technical Consulting Hotline at 877.210.5104.

Die-Cut Products

Designed for today’s demanding digital print systems

Performance

Die-cut products with Adhesive-Free Edges for high production applications

Visit kellypaper.com for label templates

Kelly Item #	Ref. Stock #	Avery® Code Template Ref.	Label Size	Labels / Sheet	Sheets / Box	Labels / Box	Kelly Item #	Ref. Stock #	Avery® Code Template Ref.	Label Size	Labels / Sheet	Sheets / Box	Labels / Box
96 Bright White							4000453	K4310	5163™	4" x 2"	10	100	1000
4001058	K4401 ^B	5165™	8½" x 11"	1	100	100	4000938	K4330 ²	5160™	2½" x 1"	30	100	3000
4000806	K4402		8½" x 5½"	2	100	200	4001016	K4106		3½" circle	6	100	600
4000852	K4306	5164™	4" x 3½"	6	100	600							
4000769	K4308		4" x 2½"	8	100	800							

Everyday

Inkjet* and Laser compatible die-cut products for all applications

Visit kellypaper.com for label templates

Kelly Item #	Ref. Stock #	Avery® Code Template Ref.	Label Size	Labels / Sheet	Sheets / Box	Labels / Box	Kelly Item #	Ref. Stock #	Avery® Code Template Ref.	Label Size	Labels / Sheet	Sheets / Box	Labels / Box
Uncoated							4000995	KL8330 ²	5160™	2½" x 1"	30	100	3000
4000964	KL8401 ^B	5165™	8½" x 11"	1	100	100	4000427	KL8433	5351™	2½" x 1"	33	100	3300
4000830	KL8704		3" x 5"	4	100	400	4000898	KL8350		1½" x 1"	50	100	5000
4001144	KL8504 ¹	5168™	3½" x 5"	4	100	400	4000942	KL8380	5167™	1¾" x ½"	80	100	8000
4000929	KL8304		4" x 5"	4	100	400	4000431	KL8112		2½" circle	12	100	1200
4000424	KL8404		4¼" x 5½"	4	100	400	4000900	KL8024	5293™	1⅔" circle	24	100	2400
4000864	KL8306 ¹	5164™	4" x 3½"	6	100	600	4000959	KL8902	5824™	4½" CD	2	100	200
4000896	KL8706		4¾" x 3½"	6	100	600	Name Badge - Uncoated						
4000428	KL8308		4" x 2½"	8	100	800	4000425	KL8508**	5395™	3¾" x 2½"	8	100	800
4000426	KL8408		4¼" x 2¾"	8	100	800	Gloss*						
4001133	KL8310 ¹	5163™	4" x 2"	10	100	1000	4001048	KL8401G ^{B*}	5165™	8½" x 11"	1	100	100
4001096	KL8314 ¹	5162™	4" x 1½"	14	100	1400							
4000429	KL8320 ¹	5161™	4" x 1"	20	100	2000							

¹ indicates 1 vertical perf ² indicates 2 vertical perfs ^B indicates 2 backsplits
* not compatible with inkjet printers ** name badge stock features micro perfs between labels

CUSTOM DIE-CUT LABELS

For digital printing.

Wide variety of whites, colors, and film facestocks available

Order / Freight minimum as low as 1,000 sheets

Common digital sizes from 8¹/₂x11 to 14x20

Leadtime is 3 - 10 business days

No separate die charge added

FULL SHEET DIGITAL EXPRESS PROGRAM

When non-stocking digital sheet sizes are needed for maximum printer efficiency, use the Digital Express Program.

Products include papers and films with permanent, removable, and ultra removable adhesives, and cover-up products — most stocking constructions in this swatchbook are available

8¹/₂x11, 8¹/₂x14, 11x17, 12x18, 13x19, and 14x20 sheet sizes qualify*

Items are bulk packed in cartons

Order / Freight minimum is 1,000 sheets / maximum 10,000 sheets*

Leadtime is 2 - 5 business days

*Larger quantities and additional digital sizes may have a longer leadtime

KELLY | PAPER®



800-67-KELLY www.kellypaper.com my.kellypaper.com

Product performance depends on many variables; testing for a specific application is recommended.

Digi, DiversiPrint, Strip-Tac, and Ultra Matte are trademarks of Spinnaker Coating, LLC. Teslin is a registered trademark of PPG Industries. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Printer models are trademarks of their respective owners.

DiversiPrint®

For Production Toner Presses, Laser Printers, and Copiers

	Size	GSM	Se-Scored Laser-Cu Split Liner	Permanent Adhesive #	Removable Adhesive #	Sheet/Carroll
DiversiPrint® Paper Products						
60# Gloss	8.5x11	198	S	4000477		1000
	12x18	198/209 ^R	S	0044500	0044501	200
	12x18	198	S	4000835		500
	12x18	198	O	0044638		200
	13x19	198	S	4001474		200
55# Semi Gloss	12x18	193	S	4000510		200
	12x18	193	O	0049038		200
60# Ultra Matte™	8.5x11	202	S	4000478		1000
	12x18	202/213 ^R	S	0044502	0044503	200
	12x18	202	S	4000479		500
	12x18	202	O	0049041		200
60# Bright White	8.5x11	202	S	4000915		1000
10% PCW and ink jet printable	8.5x11	202	O	0002531		1000
	12x18	202	S	0044504		200
	12x18	202	S	4000804		500
	12x18	202	O	0044505		200
	12x18	202	O	0002529		500
	13x19	202	S	4001346		200
	17.25x22.25	202	O	0002530		500
60# Gloss Cover-up	12x18	206	S	0044506		200
	12x18	206	S	4000534		500
60# Ultra Matte™ Cover-up	12x18	210	S	0044507		200
	12x18	210	S	4000842		500

DiversiPrint® Film and Specialty Products

Gloss White Laser Polyester	12x18	179	O	0048321		200
Matte White Laser Polyester	12x18	183	O	0045955		200
Gloss Clear Laser Polyester	8.5x11	185	O	0044734*		1000
	12x18	185	O	4000518		200
Digital Satin Cloth	12x18	262	S	0045709		200

For optimal printer settings, approvals, and certifications, visit spinps.com.
Spinnaker Strip-Tac® brand item numbers shown in gray. **Bold** item numbers represent Kelly brand stocking products.
GSM denotes typical values. ^R Indicates GSM value for removable adhesive item. * Items also sold in individual 100 sheet box.