



## PRODUCT DATA SHEET

Date: 04/30/2025

**Spinnaker**  
550 Summit Avenue  
Troy, Oh 45373  
800 543-9452

### Veero™ 50# Laser \*\* VG-LZ \*\* 3.2 mil Veero L.F. Liner

Item#: 0050177

Facestock: **Veero™ 50# Laser**

A bright white, uncoated paper designed to be compatible with most low-speed and high-speed laser printers and many color and monochrome ink jet printers. An economical choice for laser and ink jet applications. This component is not available for custom constructions.

#### Typical Value

Basis Weight:	50 #/3300 ft <sup>2</sup>
Caliper:	3.8 mils
Tensile MD/CD:	32 / 17 #/inch
Tear MD/CD:	50 / 53 grams
Opacity:	87%
Parker Print:	5.8 microns
Brightness:	92%

Adhesive: **VG-LZ**

A general purpose, permanent acrylic emulsion adhesive designed specifically for laser applications. This adhesive has excellent ultimate adhesion to a wide variety of substrates.

#### Typical Value

Coat Weight:	11.6 #/3300 ft <sup>2</sup>
Coat Weight:	17.168 grams/m <sup>2</sup>
Caliper:	0.7 mils
Adhesion to Stainless Steel, oz. (90° Peel):	36
Loop Tack, oz.:	62
Service Temperature:	-75 to 200 °F
Minimum Application Temperature:	25 °F
Shear (1000g):	70 minutes

---

Release Liner: **3.2 mil Veero L.F. Liner**    A clay coated kraft lay flat liner specially selected for use in toner fusion and other non-impact printer roll-to-sheet applications

	<b>Typical Value</b>
Basis Weight:	44 #/3000 ft <sup>2</sup>
Caliper:	3.2 mils
Tensile MD/CD:	24 / 11 #/inch
Tear MD/CD:	51 / 59 grams
Opacity:	81%

**Total Product Caliper:** 7.7 mils

**Product Basis Weight Per MMSI:** 231.58 #

**Shelf Life:** 12 month(s) when stored at 72° F, 50% RH

*For application recommendations call 877-210-5104*

*For samples or other questions please call your Sales Representative.*

**Important Notice**

These are typical values and should not be considered a specification. Adhesive properties were tested with a film facestock unless denoted with an asterisk(\*).

All trademarks are the property of their respective owners.

All information, recommendations for use, product designations, and descriptive materials about Spinnaker Pressure Sensitive Products, LLC products are believed to be reliable, but the furnishing of such information, recommendations for use, product designations, and descriptive material is for informational purposes only and does not constitute a warranty of any kind by Spinnaker Pressure Sensitive Products, LLC. Because of the variety of possible applications for Spinnaker's products and the continuing development of new applications, all Spinnaker Pressure Sensitive Products, LLC products are sold with the understanding that each purchaser will independently determine the suitability of any product for the purchaser's intended application, converting, and print processes. Spinnaker Pressure Sensitive Products, LLC will review, and may modify the information contained in this document from time to time and customers should ensure they have the most recent information.

Last Revision: 08/08/2023